

# GS 60

## GARDEN SPEAKER

### DESCRIPTION

GS 60 is an outdoor speaker suitable for gardens that includes a 5" coaxial loudspeaker and an internal transformer for 100V / 70V constant voltage lines. GS 60 can be placed on several surfaces, such as wood, concrete or into the ground.



### FEATURES

- Body made of linear low-density polyethylene
- Coaxial transducer with 5,25" woofer and 1,20" tweeter
- Suitable for installation on different surfaces
- Can be used in constant voltage lines 100V / 70V or in low impedance (8 ohm)
- Protection grade IP56

**TECHNICAL SPECIFICATIONS**

<b>Acoustical specifications</b>	Frequency Response (-10dB)	60 Hz ÷ 20000 Hz
	Max SPL @ 1m	111 dB
	System Sensitivity	90 dB
<b>Power section</b>	Nominal Impedance	8 ohm
	Power Handling	60 W
	Peak Power Handling	240 W PEAK
<b>Transducers</b>	Dome Tweeter	1 x 1.3"
	Woofers	1 x 5.5"
<b>Input/Output section</b>	Constant Voltage Transformer	70/100 V
	Power selection 1	32 W - 313 ohm
	Power selection 2	16 W - 625 ohm
	Power selection 3	8 W - 1250 ohm
	Power selection 4	4 W - 2500 ohm
	Power selection 5	2 W - 5000 ohm
	Power selection 6 (100 V)	1 W - 10000 ohm
<b>Standard compliance</b>	IP protection grade	IP 56
	Safety agency	CE compliant
<b>Physical specifications</b>	Color	Green
<b>Size</b>	Height	409 mm / 16.1 inches
	Diameter	365 mm / 14.37 inches
<b>Shipping information</b>	Package Height	460 mm / 18.11 inches
	Package Width	440 mm / 17.32 inches
	Package Depth	440 mm / 17.32 inches
	Package Weight	5.74 kg / 12.65 lbs

**PART NUMBER**

- **13133084**

GS 60

EAN 8024530012090

**DRAWINGS**

