

L-PAD 12CX

12 CHANNEL MIXING CONSOLE WITH EFFECTS

DESCRIPTION

With six transparent sound mic inputs, four stereo line inputs and the 2tk in/out L-PAD12CX is the ideal tool for small band gigs, complex conference, corporate events and all situations where it is necessary to handle several signals. Four single-control compressors on mic channels help to handle even the more dynamic-complex signals. The 99 preset Internal FX DSP allows the sound to be enhanced by adding accurate and warm effects. When not in use for Internal effects the FX send and the AUX sends allow small stage control, with the appropriate wedge monitors. The super versatile L-PAD slot permits the optional L-PAD MP3 PLAYER, PLAYER/RECORDER or BLUETOOTH CONNECTION cards to be inserted.



FEATURES

- 6 mono INPUT + 4 stereo INPUT
- 4 Compressors (Ch. 1-4)
- 3band/2band EQ
- 1 AUX send
- 1 FX send
- Internal Digital Effects: 99 preset
- Internal PSU 100V-240V, 50-60Hz, 40W

TECHNICAL SPECIFICATIONS

Electronic specifications Frequency Response: 20 Hz ÷ 22000 kHz

Inputs

Mic:	6
Gain Range:	0 dB ÷ 50 dB
Mic Inputs Impedance:	2 kohm
Low Cut:	75 Hz
Phantom Power +48V:	Yes
Mono Line:	4
Gain Selection:	15 dB ÷ 35 dB
Line Input Impedance:	10 kohm

Outputs

Main MIX:	1
Control Room:	Yes
FX Send:	1
AUX Send:	1
AUX Output:	2
Phones:	1
2 Track:	Yes

Outputs specifications

Main Out Impedance:	120 ohm
Main Out Level:	22 dBu
Aux Out Impedance (ohm):	120 ohm
Aux Out Level:	16 dBu

Compressors RCF Compressors: On Channell 1-4

EQ Input Channels EQ: 3

Auxiliary sends

AUX:	1 PRE/POST
FX POST:	1

Internal Effects Send Effects: 99

Other features Footswitch: Yes



Electrical specifications	Power supply:	Internal
	Voltage requirements:	100 V - 240 V
	Power consumption (MAX):	40 W
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	ABS
Size	Height:	93 mm / 3.66 inches
	Width:	341 mm / 13.43 inches
	Depth:	474 mm / 18.66 inches
	Weight:	3.93 kg / 8.66 lbs
Shipping informations	Package Height:	160 mm / 6.3 inches
	Package Width:	540 mm / 21.26 inches
	Package Depth:	440 mm / 17.32 inches
	Package Weight:	5.04 kg / 11.11 lbs

PART NUMBER

- **17140062**
L-PAD 12CX
240V, UK
EAN 8024530011598
 - **17140041**
L-PAD 12CX
90-240V, US
EAN 8024530011222
- **17140045**
L-PAD 12CX
240V, AU
EAN 8024530011420
 - **17140034**
L-PAD 12CX
90-240V, EU
EAN 8024530011215
- **17140044**
L-PAD 12CX
100V, JP
EAN 8024530011413