

# S 15

## BASS REFLEX SUBWOOFER

### DESCRIPTION

S 15 is a high-power, compact subwoofer system ideal for installations where the physically small size and impact of a 15" driver are desired. Extending the frequency response below 35Hz, this highly efficient design is capable of providing output levels normally associated with considerably larger enclosures.

A system suited to music playback in applications ranging from clubs, bars and cafes, right through to theatres and corporate applications. The low-frequency transducer is a 15" woofer with a 2.5" voice coil. Its design is the result of the latest refinements in compact subwoofer production, resulting in a fast and controlled reproduction of the bass frequency range. It is particularly well-suited for high-quality multimedia applications.



### FEATURES

- 500W AES power handling
- 126 dB max SPL
- 35 ÷ 200 Hz frequency range
- 1 x 15" high-power woofer
- High-quality plywood cabinet
- Steel front grille with clothing
- M20 standard pole mount in the top section of the cabinet
- 4 pole EUROBLOCK connector (audio input and parallel link output)

**TECHNICAL SPECIFICATIONS**


<b>Acoustical specifications</b>	Frequency Response (-10dB)	35 Hz ÷ 200 Hz
	Max SPL @ 1m	126 dB
	System Sensitivity	95 dB
<b>Power section</b>	Amplification	Full Range
	Nominal Impedance	8 ohm
	Power Handling	500 W RMS
	Peak Power Handling	2000 W PEAK
	Recommended Amplifiers	QPS 6.0K, IPS 2.5K, IPS 1.5K, DMA 504
<b>Transducers</b>	Woofer	1 x 15", 3.0" v.c
<b>Input/Output section</b>	Input connectors	Euroblock
	Output connectors	Euroblock
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Hardware	12 x M10
	Pole mount/Cap	Yes
	Color	Black
<b>Size</b>	Height	443 mm / 17.44 inches
	Width	630 mm / 24.8 inches
	Depth	500 mm / 19.69 inches
	Weight	27.5 kg / 60.63 lbs
<b>Shipping information</b>	Package Height	478 mm / 18.82 inches
	Package Width	540 mm / 21.26 inches
	Package Depth	670 mm / 26.38 inches
	Package Weight	30.5 kg / 67.24 lbs









**PART NUMBER**

- **13000667**

S 15

EAN 8024530020163







ACCESSORIES



PANEL PNL IN-OUT AMPHENOL

PART NUMBER **12399063**  
EAN: 8024530020149



PANEL PNL IN-OUT SPEAKON

PART NUMBER **12399062**  
EAN: 8024530018733

## **A&E SPECIFICATIONS**

The product shall be a high power, compact subwoofer system ideal for installations where the physically small size and impact of a 15" driver are desired. It shall extend the frequency response to below 35Hz with a highly efficient design capable of providing output levels normally associated with considerably larger enclosures. It shall be suited to background music playback in applications ranging from clubs, bars and cafes, right through to theatres and AV presentations. The low-frequency transducer shall be a 15" woofer with a 3,0" voice coil, with fast and controlled reproduction of the bass frequency range.