



BS 5EN

PENDANT SEPAKER



Description BS 5EN is a pendant speaker suitable for all those installations where high intelligibility for alarm messages broadcasting and great sound reproduction quality are required. Thanks to its IP65 protection grade, it can be installed both indoor and outdoor. Moreover, a modern and endearing design makes it the perfect product for environments where projectors are intended also as architectural elements and contribute to improve global aesthetics.

- Features**
- › 5" coaxial woofer with 0.75" dome tweeter.
 - › Power selectable (100 V): 20 W - 10 W - 5 W - 2.5 W.
 - › 88 dB sensitivity.
 - › Colour white RAL 9016.
 - › Flameproof ABS body, steel grille.
 - › In/out ceramic terminal block.
 - › Thermal fuse protection.
 - › Protection grade IP65.
 - › 5 m cable included.

Part Number 13133078 BS 5EN


White - RAL 9016 EAN 8024530011147



BS 5EN

PENDANT SEPAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications

Frequency Response (-10dB)	80 Hz ÷ 20000 Hz
Max SPL @ 1m	101 dB
Max SPL @ 4m	89 dB
Coverage angle	170°
System Sensitivity	88 dB
System Sensitivity 1W @ 4m	76 dB

Power section

Amplification	Full Range
Power Handling	20 W
Peak Power Handling	80 W PEAK
Protections	Thermal fuse
Recommended Amplifiers	DMA 504, DMA 162, DMA 82, DMA 162P, DXT 3000, DXT 4000, DXT 7000

Transducers

Dome Tweeter	1 x 0.75"
Woofer	1 x Coaxial 5.0"

Input/Output section

Input connectors	Ceramic screw terminals
Output connectors	Ceramic screw terminals
Constant Voltage Transformer	100 V
Power selection 1	20 W - 500 ohm
Power selection 2	10 W - 1000 ohm
Power selection 3	5 W - 2000 ohm
Power selection 4	2.5 W - 4000 ohm

Standard compliance

IP protection grade	IP 65
Safety agency	CE compliant
EN54-24 certified	Yes
CPR number	0068-CPR-058/2014

Physical specifications

Cabinet/Case Material	ABS
Hardware	Wall mount metal plate and 5m cable
Grille	Steel
Color	White - RAL 9016



BS 5EN

PENDANT SEPAKER

Size	Height	261 mm / 10.28 inches
	Width	176 mm / 6.93 inches
	Depth	183 mm / 7.2 inches
	Weight	2.79 kg / 6.15 lbs