

COMPACT A 15

TWO-WAY PROFESSIONAL SPEAKER

DESCRIPTION

COMPACT A 15 is a multipurpose two-way full-range professional speaker system, suitable for a wide range of applications, such as live sound reinforcement and stage monitoring as well as distributed sound systems for clubs or music venues. The combination of a 1.75" compression driver, 15" woofer, and the constant directivity True Resistive Waveguide produces coherent 100° x 60° coverage for the listening area with high SPL, distortion-free sound. The sleek and lightweight cabinet uses a special polypropylene composite material with an M-brace internal reinforcement, making it easy to carry and secure to install on a pole, flown-, wall-, or truss-mounted using the multiple rigging points and available accessories.



FEATURES

- 450 W power handling
- Up to 130 dB Sound Pressure Level
- 50-20000 Hz linear frequency response
- 1.75" Compression Driver
- 15" High Power Woofer
- Robust composite material cabinet
- Steel full front grille
- Optional mounting accessories
- 2 x SPEAKON connectors

TECHNICAL SPECIFICATIONS


Acoustical specifications	Frequency Response (-10dB):	50 Hz ÷ 20000 Hz
	Max SPL @ 1m:	130 dB
	Horizontal coverage angle:	100°
	Vertical coverage angle:	60°
	System Sensitivity:	98 dB
Power section	Amplification:	Full Range
	Nominal Impedance:	8 ohm
	Power Handling:	450 W
	Peak Power Handling:	1800 W PEAK
	Protections:	Dynamic Active Mosfet
	Crossover Frequencies:	1200 Hz
	Recommended Amplifiers:	DMA 504, IPS 1.5K, IPS 2.5K, QPS 10K, QPS 6.0K
Transducers	Compression Driver:	1.0", 1.75" v.c
	Woofer:	15", 3.0" v.c
Input/Output section	Input connectors:	Speakon
	Output connectors:	Speakon
Standard compliance	Safety agency:	CE compliant
Physical specifications	Hardware:	1 x M10 top, 1 x M10 each side
	Handles:	1 top, 1 each side
	Pole mount/Cap:	Yes
	Color:	Black
Size	Height:	716.6 mm / 28.21 inches
	Width:	414.9 mm / 16.33 inches
	Depth:	410 mm / 16.14 inches
	Weight:	23.5 kg / 51.81 lbs
Shipping information	Package Height:	760 mm / 29.92 inches
	Package Width:	475 mm / 18.7 inches
	Package Depth:	470 mm / 18.5 inches
	Package Weight:	25.5 kg / 56.22 lbs








PART NUMBER









- **13000740**









COMPACT A 15

EAN 8024530019761









ACCESSORIES

AC PMX POLE MOUNT M20

PART NUMBER **13360232**
EAN: 8024530010058



AC PRO-FS PROFESS. LOCKING FLOOR STAND

PART NUMBER **13360109**
EAN: 8024530006471



AC PRO-PM PROFESS. LOCKING POLE MOUNT

PART NUMBER **13360110**
EAN: 8024530006488



COVER CVR ART 915

PART NUMBER **13360478**
EAN: 8024530018856



FLYING BRACKET FL-BR ART 915

PART NUMBER **13360481**
EAN: 8024530019174



HORIZONTAL BRACKET H-BR ART 915

PART NUMBER **13360479**
EAN: 8024530019198



POLE MOUNT KIT PM-KIT M20

PART NUMBER **13360067**
EAN: 8024530014599



VERTICAL BRACKET V-BR ART 915

PART NUMBER **13360480**
EAN: 8024530019181

A&E SPECIFICATIONS

The product shall be a multipurpose two-way full-range professional speaker system, suitable for a wide range of applications, such as live sound reinforcement and stage monitoring as well as distributed sound systems for clubs or music venues. It shall feature high sensitivity, typical of professional audio cabinets, with smooth and wide frequency response, thanks to the wave-guided compression driver. It shall be robust, suitable for transportation and for any working environment. Optional mounting accessories shall be available for wall or ceiling installations.