


IE 3008

INTERLINK BOARD

DESCRIPTION

IE 3008 is an additional board for DXT 3000 Voice Alarm system that extends its capability and functionalities allowing the connection of a maximum of eight units, in a master/slave configuration. It shall be installed inside the cabinet of each unit, that provides the necessary power supply. System's units communicate through a fully redundant bus, transporting commands and two audio channels. Up to four emergency consoles can be connected to the master unit, for the activation of both pre-recorded and live messages on each system's zone, using dedicated BE 3806 additional keyboards. At system level, BGM can be injected in the master unit in the dedicated input, with global mute functionality. At local level, BGM can be enabled on each unit using the specific hardware setting.



FEATURES

- Connects up to 8 units
- Master/slave architecture
- Fully redundant communication bus
- Powered by master unit
- General and zone alarm activation
- Global and local BGM inputs

TECHNICAL SPECIFICATIONS

General specifications	Max number of units connectable:	8
	Max number of consoles:	4
	Number of console buses:	1
	Number of audio channels:	2
	Communication bus:	Serial RS485
	General Purpose Inputs (GPI):	2 (EVAC / RESET)
	Photo-coupled GPI:	2
	Max distance between first-last unit:	800 m
	Inputs / Outputs Connectors:	Euroblock
	Operating voltage:	24 V DC (from MX 3250 / MX 3500)

Standard compliance	Safety agency:	CE compliant
	EN54-16 certified:	Yes
	CPR number:	0068-CPR-007/2015

Size	Width:	130 mm / 5.12 inches
	Depth:	115 mm / 4.53 inches
	Weight:	0.15 kg / 0.33 lbs

Shipping information	Package Height:	74 mm / 2.91 inches
	Package Width:	204 mm / 8.03 inches
	Package Depth:	142 mm / 5.59 inches
	Package Weight:	0.35 kg / 0.77 lbs

PART NUMBER

- **12399015**

IE 3008

EAN 8024530015152

ACCESSORIES



IT 3010 TRANSFORMERS BOARD DXT 3000

PART NUMBER **12399049**
EAN: 8024530016388
