




# TTS 56-A

ACTIVE HIGH POWER SUBWOOFER



**Description** The TTS56-A is a high power, high output active subwoofer system that sets a new standard in the touring sound reinforcement. The new 21" neodymium design represents the result of many years dedicated in pioneering new solutions for the transducers technology. The integration of the 6800 W, two channel digital amplification and the advanced digital processing set a new standard for distortion, noise and thermal efficiency.

- Features**
- › 2 x 3400 W digital amplifiers
  - › 2 x 21" high power neodymium woofers
  - › 96 kHz, 32 bit DSP processing
  - › Remote monitoring and control
  - › Time delay alignment
  - › Cardioid preset for groups
  - › Tour grade cabinet
  - › RDNet on board
  - › Maximum output per size on market

**Part Number** 13000190 TTS 56-A 90-240 V Black EAN 8024530008611



# TTS 56-A

## ACTIVE HIGH POWER SUBWOOFER

		<b>TECHNICAL SPECIFICATIONS</b>		
<b>Acoustical specifications</b>	Frequency Response	30 Hz ÷ 100 Hz		
	Max SPL @ 1m	145 dB		
<b>Transducers</b>	Woofers	2 x 21" neo, 4.5" v.c		
<b>Input/Output section</b>	Input signal	bal/unbal		
	Input connectors	XLR, RDNet Ethercon		
	Output connectors	XLR, RDNet Ethercon		
	Input sensitivity	-2 dBu/+10 dBu		
<b>Processor section</b>	Hi-Pass Frequencies	30-45 Hz		
	Low-Pass Frequencies	60-90 Hz		
	Protections	Thermal, Excurs., RMS		
	Limiter	Soft Limiter		
	Controls	DSP Controlled		
	RDNet	Onboard		
<b>Power section</b>	Total Power	13600 W Peak, 6800 W RMS		
	Low frequencies	13600 W Peak, 6800 W RMS		
	Cooling	Convection/Forced		
	Connections	Powercon IN/OUT		
<b>Standard compliance</b>	Safety agency	CE compliant		
<b>Physical specifications</b>	Cabinet/Case Material	Baltic birch plywood		
	Hardware	2 x steel bar fork - lift transportation, 4 x 100 mm wheels		
	Handles	6 side		
	Grille	Steel		
	Color	Black		
<b>Size / Weight</b>	Height	590 mm / 23.23 inches		
	Width	1170 mm / 46.06 inches		
	Depth	988 mm / 38.9 inches		
	Weight	122.8 kg / 270.73 lbs		
<b>ACCESSORIES</b>				
	13360157	NYLON SLEED TTS 56	Black	
<b>Protections</b>	<b>COVERS</b>			
	13360140	CVR FRONT TTS 56	Black	
	13360135	CVR TTS 56	Black	EAN 8024530006792
	<b>RAIN PROTECTIONS</b>			
	13360137	RP 1X TTS 56	Black	
<b>Transportation</b>	<b>WHEELS</b>			
	13360238	WH PRO 4X		EAN 8024530018320
<b>Cables</b>	<b>CABLES</b>			
	12399019	CBL ETHERCON TO XLR F 0.2M	Black	EAN 8024530013882
	12399020	CBL ETHERCON TO XLR M 0.2M	Black	EAN 8024530013899
	<b>CABLES KIT</b>			
	13360102	AC XLR 3M3F		EAN 8024530006402
	12399016	CBL ETHERCON 0.7M	Black	EAN 8024530013844
	12399035	CBL ETHERCON 3M	Black	EAN 8024530013868
	12399018	CBL ETHERCON 5M	Black	EAN 8024530013875
	12399023	CBL LK 25 MULTIPIN 10M	Black	EAN 8024530013837
	12399022	CBL LK 25 MULTIPIN 20M	Black	EAN 8024530013820
	12399024	CBL LKS 19 ARRAY FANOUT	Black	EAN 8024530013905
	12399026	CBL LKS 19 BREAKOUT	Black	EAN 8024530013929
	12399027	CBL LKS 19 POWER 10M	Black	EAN 8024530013936
	13360146	CBL LKS 19 POWER 20M		EAN 8024530013943



# TTS 56-A

ACTIVE HIGH POWER SUBWOOFER

<b>Cables</b>	12399025	CBL LKS 19 SUB FANOUT	Black	EAN 8024530013912
	12399021	CBL LKS 25-2 FANOUT	Black	EAN 8024530013813
	13360145	CBL POWER BOX 6X	Black	EAN 8024530015534
	12399030	CBL POWERCON LINK 1.5M	Black	EAN 8024530013721
	12399028	CBL POWERCON LINK 10M	Black	EAN 8024530013707
	12399029	CBL POWERCON LINK 5M	Black	EAN 8024530013714
	13360138	POWER CABLE X6 TTL 55-A		