

V 218-S

PASSIVE BASS REFLEX SUBWOOFER

DESCRIPTION

The V218 is a compact, high-output bass reflex subwoofer. The system is equipped with two advanced neodymium 18" RCF precision woofers mounted in a front-loaded configuration. This new high power design marks the latest refinements in RCF experiences in compact subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. The two transducers couple to achieve tight and maximised output, while the subwoofer design ensures an efficient acoustic response down to 30 Hz



FEATURES

- High power, bass reflex subwoofer system
- 2 x 18" high power, 4" voice coil hypervented woofers
- 141 dB max SPL
- 3000 Watt AES
- Very high output, response down to 30 Hz
- Birch plywood cabinet
- Weather resistant, textured, polyurea finish
- Epoxy powder coated front grille

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	30 Hz ÷ 250 Hz
	Max SPL @ 1m	141 dB
	System Sensitivity	99 dB
Power section	Nominal Impedance	4 ohm
	Power Handling	3000 W
	Peak Power Handling	12000 W PEAK
Transducers	Woofer	2 x 18", 4.0" v.c
Input/Output section	Input connectors	Speakon® NL4
	Output connectors	Speakon® NL4
Standard compliance	Safety agency	CE compliant
Physical specifications	Handles	4 Side
	Pole mount/Cap	Yes
	Color	Black
Size	Height	569 mm / 22.4 inches
	Width	1200 mm / 47.24 inches
	Depth	745 mm / 29.33 inches
	Weight	78.2 kg / 172.4 lbs
Shipping information	Package Height	630 mm / 24.8 inches
	Package Width	1265 mm / 49.8 inches
	Package Depth	805 mm / 31.69 inches
	Package Weight	93 kg / 205.03 lbs

PART NUMBER

- **13000414**

V 218-S

EAN 8024530010980

DATASHEET



