

# TT 25-CXA

## ACTIVE HIGH DEFINITION COAXIAL MONITOR

### DESCRIPTION

The TT25-CXA is a full range, high performance coaxial monitor. The linear response curve, the consistent coverage and acoustic output make the TT25-CXA II the professional choice for most demanding situations. The voicing is accurate and deep, the sound is transparent in the mids and extremely accurate at very high frequencies. The size is compact and the profile is very low for a discreet appearance. The TT25-CXA is a high power active system that sets a new standard in the touring and theatre sound reinforcement. By producing flat amplitude and phase response, full-range bandwidth and exceptional impulse response, the TT25-CXA far exceeds the capabilities of conventional stage monitors.



### FEATURES

- 1100 W Class D Amplifier
- 60 x 60 constant directivity coverage angle
- 15" neo coaxial woofer, 3.5" voice coil
- 1.5" neo coaxial c. driver, 2.5" voice coil
- DSP Processing
- Onboard RDNet Control
- Multifunctional cabinet
- Very high output

**TECHNICAL SPECIFICATIONS**

|                                  |                            |                            |
|----------------------------------|----------------------------|----------------------------|
| <b>Acoustical specifications</b> | Frequency Response:        | 50 Hz ÷ 20000 Hz           |
|                                  | Max SPL @ 1m:              | 133 dB                     |
|                                  | Horizontal coverage angle: | 60°                        |
|                                  | Vertical coverage angle:   | 60°                        |
| <b>Transducers</b>               | Compression Driver:        | Coaxial 1.5" neo, 2.5" v.c |
|                                  | Woofers:                   | Coaxial 15" neo, 3.5" v.c  |
| <b>Input/Output section</b>      | Input signal:              | bal/unbal                  |
|                                  | Input connectors:          | XLR, RDNet Ethercon        |
|                                  | Output connectors:         | XLR, RDNet Ethercon        |
|                                  | Input sensitivity:         | -2 dBu/+4 dBu              |
| <b>Processor section</b>         | Crossover Frequencies:     | 900 Hz                     |
|                                  | Protections:               | Thermal, HF                |
|                                  | Limiter:                   | Soft Limiter               |
|                                  | Controls:                  | Proces., 8 sel. presets    |
|                                  | RDNet:                     | Yes                        |
| <b>Power section</b>             | Total Power:               | 2200 W Peak, 1100 W RMS    |
|                                  | High frequencies:          | 600 W Peak, 300 W RMS      |
|                                  | Low frequencies:           | 1600 W Peak, 800 W RMS     |
|                                  | Cooling:                   | Convection                 |
|                                  | Connections:               | Powercon IN/OUT            |
| <b>Physical specifications</b>   | Cabinet/Case Material:     | Baltic birch plywood       |
|                                  | Handles:                   | 1 Top                      |
|                                  | Pole mount/Cap:            | Yes                        |
|                                  | Grille:                    | Steel                      |
|                                  | Color:                     | Black                      |
| <b>Size</b>                      | Height:                    | 353 mm / 13.9 inches       |
|                                  | Width:                     | 580 mm / 22.83 inches      |
|                                  | Depth:                     | 486 mm / 19.13 inches      |
|                                  | Weight:                    | 18 kg / 39.68 lbs          |
| <b>Shipping information</b>      | Package Height:            | 615 mm / 24.21 inches      |
|                                  | Package Width:             | 390 mm / 15.35 inches      |
|                                  | Package Depth:             | 515 mm / 20.28 inches      |
|                                  | Package Weight:            | 23 kg / 50.71 lbs          |

**PART NUMBER**

- **13000449**

TT 25-CXA

115V


EAN 8024530013028







- **13000448**

TT 25-CXA

220-240V


EAN 8024530012977









Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal One Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars




Vertical 1/3 Octave Polars



Vertical 1/3 Octave Polars



Vertical One Octave Polars



## ACCESSORIES



AC PMX POLE MOUNT M20

PART NUMBER **13360232**  
EAN: 8024530010058



AC PRO-FS PROFESS. LOCKING FLOOR STAND

PART NUMBER **13360109**  
EAN: 8024530006471



AC PRO-PM PROFESS. LOCKING POLE MOUNT

PART NUMBER **13360110**  
EAN: 8024530006488



CABLES KIT CBL ETHERCON 0.7M

PART NUMBER **12399016**  
EAN: 8024530013844



CABLES KIT CBL ETHERCON 1.5M

PART NUMBER **12399017**  
EAN: 8024530013851



CABLES KIT CBL ETHERCON 3M

PART NUMBER **12399035**  
EAN: 8024530013868



CABLES KIT CBL ETHERCON 5M

PART NUMBER **12399018**  
EAN: 8024530013875



CABLES KIT CBL ETHERCON TO XLR F 0.2M

PART NUMBER **12399019**  
EAN: 8024530013882



CABLES KIT CBL ETHERCON TO XLR M 0.2M

PART NUMBER **12399020**  
EAN: 8024530013899



COVER CVR TT 25-CXA

PART NUMBER **13360327**  
EAN: 8024530013448



POLE MOUNT KIT PM-KIT M20

PART NUMBER **13360067**  
EAN: 8024530014599